



AMERILUBE

ADVANCED TECHNOLOGY LUBRICANTS

SFCL

**SUPER PREMIUM SYNTHETIC
FOOD GRADE CHAIN LUBE**

American Synthol, Inc.

4343 Shallowford Road, Suite D2,
Marietta, GA 30062
Phone: 888-378-9290
Fax: 888-731-9534

SFCL - FOOD GRADE CHAIN LUBRICANT

AMERILUBE SFCL - FOOD GRADE CHAIN LUBRICANT is a super premium, synthetic lubricant specifically designed to lubricate chains commonly found in food processing plants.

AMERILUBE SFCL is particularly well suited to food plant applications where water washout of the lubricant is experienced.

AMERILUBE SFCL is made with an advanced technology additive system and finest food grade base materials which comply with FDA 21 CFR 178.3570 for H-1 lubricants which may have incidental food contact.

AMERILUBE SFCL provides outstanding service, even in the most severe food plant operating conditions.

- Outstanding Oxidation Stability
- High Viscosity Index
- High Flash & Auto-Ignition Points
- Very Low Volatility
- Extremely High Film Strength
- Excellent Resistance to Water Wash Out
- Excellent Materials Compatibility
- Meets 21 CFR 178.3570-for H-1 Lubricants
- Very Tenacious and Long Lasting
- Excellent Rust Control
- Excellent Lubricity
- Energy Savings
- Reduced Maintenance Costs
- Reduced Downtime
- Reduced Lubricant Consumption
- Reduced Misting

Typical Properties

Lubricant Designation	SFCL 68	SFCL 100
Viscosity Index	110	109
Vis cSt @ 40 °C	68.1	110
Vis cSt @ 100 °C	9.2	12.8
Vis SUS @ 100 °F	-	-
Vis SUS @ 212 °F	-	-
Flash Point °F	455	513
Auto-Ignition Point °F	728	801
Pour Point °F	-24	-18
Four Ball, 40 Kg, 1200 RPM, 167 °F 1 Hr, Scar DIA mm	.40	.40
Four Ball Weld Point, Kg	100	100
Copper Corrosion, 24 Hr.	1a	1a
Demulsibility, 130 °F, 30 min	40/40/0	40/40/0